



## **Direct Drive Wall Fan 54in EC**





Fan Size	
54in	

Model # ------FW-54EC Drive type
\_\_\_\_\_
Direct Drive

Housing Material Fiberglass RSO \_\_\_\_\_ 64"W x 64"L

HP/KW \_\_\_\_\_\_ "L 3hp/2.2kw Volts 230V

FLA ------10 PHASE

1 or 3

CFM @ .05SP \_\_\_\_\_\_ 35,400

### **Direct Drive 54in Wall Fan EC**

- > ECM Motor results in best in class efficiency and performance
- > Aerodynamic fiberglass Housing funnel encourages free air flow.
- > Variable Speed uses a 0-10v signal eliminating the need for costly VFDs, and giving you precise control of your environment
- > Direct Drive operation results in very little maintenance, no belts, bearings or shafts
- > A complete line of accessories is available, Winter Covers, Fan Covers and Cone
- > Roll seal shutter is optional with this model












# Direct Drive Wall Fan 60in EC





Fan Size
60in

Model #
FW-60EC

Drive type
\_\_\_\_\_
Direct Drive

Housing Material Fiberglass

RSO \_\_\_\_\_ 65.5"Wx65.5"L HP/KW ———— 3hp/2.2kw Volts

230V

PHASE

1 or 3

CFM @ 0.05SP 36,900

### **Direct Drive 60in Wall Fan EC**

- > ECM Motor results in best in class efficiency and performance
- > Aerodynamic fiberglass Housing funnel encourages free air flow.
- > Variable Speed uses a 0-10v signal eliminating the need for costly VFDs, and giving you precise control of your environment
- > Direct Drive operation results in very little maintenance, no belts, bearings or shafts
- > A complete line of accessories is available, Winter Covers, Fan Covers and Cone
- > Roll seal shutter is optional with this model













# Direct Drive Wall Fan 72in EC





Fan	Size
72	2in

Model #
FW-72EC

Drive type
\_\_\_\_\_
Direct Drive

Housing <u>Material</u> Fiberglass

RSO \_\_\_\_\_\_ 78"W x 78"L HP/KW 4hp/3kw Volts ------575V

PHASE 3 CFM@.10SP \_\_\_\_\_\_ 50,500

### **Direct Drive 72in Wall Fan EC**

- > ECM Motor results in best in class efficiency and performance
- > Aerodynamic fiberglass Housing funnel encourages free air flow.
- > Variable Speed uses a 0-10v signal eliminating the need for costly VFDs, and giving you precise control of your environment
- > Direct Drive operation results in very little maintenance, no belts, bearings or shafts
- > A complete line of accessories is available, Winter Covers and Fan Covers
- > Roll seal shutter is optional with this model







